
FUZZY SEQUENCING PROBLEM IN HEXAGONAL FUZZY NUMBER

***V. Raju**

Department of Mathematics, School of Basic Sciences, Vels Institute of Science, Technology and Advanced Studies (VISTAS), Chennai-600 117, India.

Article Received: 26 October 2025

***Corresponding Author: V. Raju**

Article Revised: 15 November 2025

Department of Mathematics, School of Basic Sciences, Vels

Published on: 06 December 2025

Institute of Science, Technology and Advanced Studies (VISTAS),

Chennai-600 117, India. DOI: <https://doi-oi.org/101555/ijrpa.6568>

ABSTRACT

In this paper, we use a Hexagonal fuzzy number and its membership function. We set out a way of dealing with to solve fuzzy sequencing problem where processing time taken as Hexagonal fuzzy numbers. Fuzzy sequencing problem are transformed into a crisp valued sequence problem which is illustrated with a numerical example.

KEYWORDS: Hexagonal Fuzzy number, Membership function, Fuzzy sequencing problem.

INTRODUCTION

This paper investigates the application of the Hexagonal fuzzy number to the job sequencing problem. The fuzzy set concept, introduced by Zadeh [1], is relevant because real-life decision-making often involves unclear (fuzzy) information, particularly concerning the order of events (sequencing). The job sequencing problem—a critical issue in computer science and optimization—aims to find the optimal sequence of jobs on machines to minimize total processing time. To solve this problem, the authors utilize the Hexagonal fuzzy number and its membership function. By employing Pascal's triangular Graded Mean method, the fuzzy sequencing problem is converted into a crisp (clear-valued) problem. Solving the resulting crisp problem yields the optimal order, idle time, and total elapsed time for the machines, given that the processing times are modeled as Hexagonal fuzzy numbers. The concept of fuzzy sets, pioneered by Zadeh, addresses the ambiguity inherent in many decision-making scenarios, such as determining the sequencing (order of occurrence) of events. A key example is the job sequencing problem, which is fundamental in computer science and

optimization techniques. The goal of this problem is to identify the best way to run jobs on machines to reduce the total time needed to finish all tasks. This study utilizes the recently developed Icosikaoctagonal fuzzy number [3]—an extension of the Icosagonal fuzzy number [2]—to model the processing time in the sequencing problem. The authors then apply the Pascal’s triangular Graded Mean method to transform the fuzzy sequencing problem into a crisp-valued equivalent. By solving this crisp problem, the optimal job order, machine idle time, and total elapsed time are determined.

2. PRELIMNARIES

In this section, we give the preliminaries that are required for this study.

Definition 2.1. A fuzzy set A is defined by $A = \{(x, \mu_A(x)) : x \in A, \mu_A(x) \in [0,1]\}$. Here x is crisp set A and $\mu_A(x)$ is membership function in the interval $[0,1]$.

Definition 2.2. The fuzzy number A is a fuzzy set whose membership function must satisfy the following conditions.

- (i) A fuzzy set A of the universe of discourse X is convex
- (ii) A fuzzy set A of the universe of discourse X is a normal fuzzy set if $x_i \in X$ exists
- (iii) $\mu_A(x)$ is piecewise continuous

2.3 Ranking of Hexagonl fuzzy number:

Let I be a normal Hexagonl fuzzy number. The value $M(I)$, called as measure of I is calculated as

$$M(I) = \frac{e_1 + e_2 + e_3 + e_4 + e_5 + e_6}{6}$$

Definition 2.4

A fuzzy number $A = (a_1, a_2, a_3, a_4, a_5, a_6)$ is Hexagonl fuzzy number and its membership function is given by

$$\mu_A(x) = \begin{cases} 0, & \text{for } x < e_1 \\ \frac{1}{2} \left(\frac{x - e_1}{e_2 - e_1} \right), & \text{for } e_1 \leq x \leq e_2 \\ \frac{1}{2} + \frac{1}{2} \left(\frac{x - e_2}{e_3 - e_2} \right), & \text{for } e_2 \leq x \leq e_3 \\ 1, & \text{for } e_3 \leq x \leq e_4 \\ 1 - \frac{1}{2} \left(\frac{x - e_4}{e_5 - e_4} \right), & \text{for } e_4 \leq x \leq e_5 \\ \frac{1}{2} \left(\frac{e_6 - x}{e_6 - e_5} \right), & \text{for } e_5 \leq x \leq e_6 \\ 0, & \text{for } x > e_6 \end{cases}$$

4. Processing of ‘n’ jobs through ‘2’ machines:

Let ‘n’ jobs A_1, A_2, \dots, A_n be processing through 2 machines that is M_1, M_2 respectively. Let R_{ij} be the fuzzy processing time taken by i^{th} job to be done by j^{th} machine. Using Johnson method, we can find optimal sequence, total elapsed time and idle time on machines. Here fuzzy times are taken as Hexagonal fuzzy number.

Jobs	Machine M I	Machine M II
A1	R11	R12
A2	R21	R22
A3	R31	R32
A4	R41	R42

5. Pascals Triangular graded mean for Icosagonal Fuzzy Number:

Consider $G_{Icoskocet} = (a_1, a_2, a_3, a_4, a_5, a_6)$ be a Hexagonal fuzzy number .By taking the coefficient of fuzzy numbers from Pascal’s triangle. Then the formula of Pascal’s triangular graded mean for Icosikaioctagonal fuzzy number is

$$G(A) = \frac{(1a_1 + 5a_2 + 10a_3 + 10a_4 + 5a_5 + 1a_6)}{720}$$

The coefficients of $(a_1, a_2, a_3, a_4, a_5, a_6)$ are 1,

5, 10,10,5,1 respectively. These coefficients are taken from the Pascal’s triangles.

6. Procedure for solving fuzzy sequencing problem.

Step 1: Using Pascal graded mean, fuzzy sequencing problem is converted to a crisp valued problem.

Step 2: The optimal sequence for the crisp sequence problem is determined using crisp sequencing problem.

Step 3: After finding the optimal sequence. Determine the total elapsed fuzzy time and also the fuzzy ideal time on machines

7. Numerical example:

We are taking into account the fuzzy sequence problem. Let us take the processing time of 4 jobs are given in which all the elements are fuzzy quantifiers which signalize the linguistic variables that are taking the place of Icosikaioctagonal fuzzy numbers.

These qualitative datas are transformed into quantitative datas and which is shown in the below table. The processing time is between 1 to 112 and the minimum value is considered as 1 and maximum value is considered as 112 and is shown in the following table.

Low	1,2,3,4,5,6
Medium	9,10,11,12,13,14
Good	15,16,17,18,19,20
Very Good	21,22,23,24,25,26

The problem is shown in the table

Jobs	Machine I	Machine II
A ₁	1,2,3,4,5,6	15,16,17,18,19,20
A ₂	9,10,11,12,13,14	21,22,23,24,25,26
A ₃	21,22,23,24,25,26	9,10,11,12,13,14
A ₄	15,16,17,18,19,20	1,2,3,4,5,6

Apply Pascal’s triangular graded mean for Icosikaioctagonal fuzzy number, the fuzzy valued time connected to respective valued time

R ₁₁ = 3.5	R ₁₂ = 17.5
R ₂₁ =11.5	R ₂₂ = 23.5
R ₃₁ = 23.5	R ₃₂ = 11.5
R ₄₁ = 17.5	R ₄₂ = 3.5

The Optimum sequence is

A ₁	A ₂	A ₄	A ₃
----------------	----------------	----------------	----------------

Total elapsed time and idle time

Jobs	Machine I		Machine II	
	Time in	Time out	Time in	Time out
A ₁	0	3.5	3.5	21
A ₂	3.5	15	21	44.5
A ₄	15	32.5	44.5	48
A ₃	32.5	56	48	59.5

Total Elapsed time = 59.5 Hrs

Idle time on Machine I = 3.5 Hrs

Idle time on Machine II = 3.5 Hrs

8. CONCLUSION:

In this paper, we have solved fuzzy sequencing problem by using Hexagonal fuzzy numbers. The Fuzzy sequencing problem of Hexagonal Fuzzy Numbers has been transformed into crisp sequencing problem using Pascal's Graded mean formula. By this method, we got the result of optimal sequence, total elapsed time and idle time for each machine.

REFERENCES:

1. L.A. Zadeh, , Fuzzy sets, Information and Control, 8(3) ,1965, 338-353.
2. V.Raju, “ Sequencing Problem in Icosikaitetragonal Fuzzy Number”, International journal of advanced research in science, communication and Technology,, volume 5, issue 9, 2025. Page number : 62-66
3. V.Raju, “ Fuzzy Decision Making Problem in Hexadecagonal Fuzzy Number”, International journal of advanced research in science, communication and Technology,, volume 5, issue 9, 2025. Page number : 69-73
4. V.Raju, “ Study on fuzzy transportation problem in Icosikaitetragonal fuzzy number”, International journal of advanced research in science, communication and Technology,, volume 5, issue 7, 2025. Page number : 849-856
5. V.Raju, “Enneadecagonal fuzzy number in critical path method”, International journal of research publication and reviews, volume 6, issue 3, 2025. Page number : 6428-6431
6. V.Raju, “Decision making problem in Enneadecagonal fuzzy number”, International journal of research publication and reviews, volume 5, issue 5, 2024. Page number : 9808-9812
7. V.Raju “ Assignment problem in Enneadecagonal fuzzy number ”International journal of progressive research in engineering management and Science , volume 4, issue 3, 2024 page number:368-371
8. Ravichandran and V.Raju , “An approach on fuzzy decision making problem in icosikaitetragonal fuzzy number ” International journal of creative research thoughts,volume 11, issue 8, 2023, page number :d553-d561

9. M.Thirugnana sambandan and V.Raju, ‘‘Fuzzy sequencing problem in Enneadecagonal fuzzy number’’ International journal of latest engineering science, volume 5 , issue 6,2022.page number: 11-16
10. P.Vinayagamoorthy and V.Raju ‘‘Fuzzy assignment problem in Icosikaitetragonal fuzzy number’’International journal of creative research thoughts, Volume 10, issue 10,2022 Page number b18-b25
11. R. Dhananchezhiyan and V.Raju ‘‘Fuzzy transportation problem in Enneadecagonal fuzzy number’’ Journal of electronics information technology science and Management, Volume 12, Issue 9, 2022, page number 34-45
12. A.Janarthanan and V.Raju ‘‘Fuzzy game problem with Enneadecagonal fuzzy number ’’
13. Journal of Xidian University, Volume 16, Issue 5, 2022, Page number: 676-686
14. V.Raju and S.Ramachandran ‘‘Icosagonal fuzzy number in decision making problem’’
15. International Journal of Trend in Scientific Research and Development , Volume 5,Issue 6, 2021, Page no : 1194-1199
16. S. Sasikumar and V.Raju ‘‘ Study on Fuzzy game problem in Icosikaitetragonal Fuzzy number’’ Annals of Romanian Society for Cell biology , Volume 25,Issue 6, 2021, Page No : 10500-10508
17. V. Raju and R. Jayagopal, ‘‘A new operation on Icosikaitetragonal fuzzy number’’, Journal of Combinatorial Mathematics and Combinatorial Computing, volume 112(2020), Page no : 127- 136
18. V.Raju and S.Maria Jesu Raja ‘‘An Approach on Fuzzy game problem in Icosikaioctagonal Fuzzy number’’ Journal of Xidian University, Volume 14, Issue 4,
19. 2020, Page no: 1009-1016
20. V.Raju and S.Arul Amirtha Raja ‘‘ Study on fuzzy sequencing problem in Icosikaioctagonal Fuzzy Numbers’’ Journal of Xidian University, Volume 14, Issue 4, 2020, Page no: 3829-3837
21. V.Raju and S.Maria Jesu Raja ‘‘ Fuzzy decision making problem in Icosikaioctagonal Fuzzy number’’ Journal of Xidian University, Volume 14, Issue 5, 2020, Page no: 3240-3248
22. R. Deepa and V. Raju ‘‘Solving Fuzzy Transportation Problem using Icosikaioctagonal Fuzzy Numbers’’ Journal of Shanghai Jiaotong University, Volume 16, Issue 7,2020 Page No: 162-173

23. S.Maria Jesu Raja and V.Raju “ Elucidating Fuzzy Assignment problem Employing Icosikaioctagonal Fuzzy Number “ Journal of Xi’an University of Architecture and Technology , Volume 12, Issue 6, 2020 ,Page no : 1681-1688
24. V.Ashok Kumar and V.Raju “ An Approach on Fuzzy Assignment problem in Icosagonal Fuzzy Number “ Journal of Xi’an University of Architecture and Technology, Volume 12, Issue 5, 2020 ,Page no : 3487-3493
25. V.Raju and M.ParuvathaVathana “Discourse on Fuzzy Game Problem in Icosagonal Fuzzy Number “ International journal of scientific research and review volume 8, Issue 3, 2019, Page no: 1384-1390
26. V.Raju , Ranking Function on Icosagonal Fuzzy Number for Solving Fuzzy Transportation Problem, “Journal of Applied Science and Computations “ Volume VI, Issue IV, 2019, Page No: 3631-3640
27. V.Raju and M.ParuvathaVathana “An Icosagonal Fuzzy Number for solving Fuzzy
28. Sequence Problem“ International journal of Research in Engineering, IT and Social
29. Sciences” Volume 9, Issue 5, 2019. Page no: 37-40
30. V.Raju and M.ParuvathaVathana “ Fuzzy Critical path method with Icosagonal Fuzzy Numbers using Ranking Method” A Journal of Composition Theory, Volume 12, Issue 9, 2019, Page no: 62-69
31. V. Raju and R. Jayagopal “An Approach on Icosikaioctagonal Fuzzy number-
32. Traditional Operations on Icosikaioctagonal fuzzy number” A Journal of
33. Composition theory, Vol.XII, Issue X, 2019, Page No: 727-734
34. V. Raju and R. Jayagopal “An Arithmetic Operations of Icosagonal fuzzy number
35. Using Alpha cut ”International Journal of Pure and Applied Mathematics. Volume
36. 120, No. 8, 2018, 137-145
37. V. Raju and R. Jayagopal“ A Rudimentary Operations on Octagonal Fuzzy Numbers “ International Journal of Research in Advent Technology Vol.6, No.6, June 2018,Page No: 1320-1323
38. V.Raju and M.Paruvatha Vathana “ Graceful labeling for some complete bi partite graph” Journal of computer and Mathematical sciences , Volume 9,Issue 12 ,2018,
39. Page no : 2147-2152
40. R.Jayagopal and V.Raju “Domination Parameters in shadow graph and Path connected graph” International Journal of mathematics and its Applications , volume 6, Issue 2B,2018 , Page no : 167-172

41. V.Raju, " Sequencing Problem in Hexadecagonl Fuzzy Number, "International Journal of Sciences and Innovation Engineering" Volume 2, Issue 6,2025, Page number:332-338
42. V.Raju, " Decision Making Problem in Hexagonal Fuzzy Number", International Journal of Sciences and Innovation Engineering, Volume 2 , Issue 10,2025,Page number: 575-580.