

Sequencing Problem in Icosikaitetragonal Fuzzy Number

V. Raju

Assistant Professor, Department of Mathematics

School of Basic Sciences, Vels Institute of Science, Technology and Advanced Studies (VISTAS), Chennai, India
matraju@gmail.com, raju.v.sbs@velsuniv.ac.in

Abstract: In this paper, we introduce a new fuzzy number called Icosikaitetragonal fuzzy number and its Membership function and propose a method of handling it. We have devised a solution to solve the fuzzy sequencing problem where the processing time is represented by Icosikaitetragonal fuzzy numbers. Fuzzy sequencing problems can be transformed into crisp valued sequencing problems, which can be demonstrated by a numerical example..

Keywords: Icosikaitetragonal Fuzzy number, Membership function, Fuzzy sequencing problem

I. INTRODUCTION

The fuzzy set was introduced by Zadeh [1]. In our everyday lives, we encounter numerous decision-making scenarios. Each scenario is noteworthy. We make decisions in each situation, which may be either clear or ambiguous. Sequencing provides an initiative regarding the order in which events occur or are anticipated. In this context, we engage in decision-making related to job sequencing, game theory, and other areas. The job sequencing problem is a critical issue within the field of computing. It represents one of the most significant applications of optimization techniques. The primary objective of the sequencing problem is to determine the optimal order of jobs on machines to minimize the total time required to complete all tasks. Raju and Jayagopal [2] introduced the Icosagonal fuzzy number. They also developed the Icosikaitetragonal fuzzy number [3]. In this paper, we investigate the sequencing problem utilizing the Icosikaitetragonal fuzzy number. We have employed the Icosikaitetragonal fuzzy number along with its membership function. By applying Pascal's triangular Graded Mean, the fuzzy sequencing problem can be converted into a crisp-valued problem, which is illustrated with suitable examples. The processing time is regarded as an Icosikaitetragonal fuzzy number. By resolving the crisp sequencing problem, we can determine the optimal order, idle time, and total elapsed time for each machine.

II. PRELIMINARIES

In this section, we give the preliminaries that are required for this study.

Definition 2.1. A fuzzy set A is defined by $A = \{(x, \mu_A(x)) : x \in A, \mu_A(x) \in [0,1]\}$. Here x is crisp set A and $\mu_A(x)$ is membership function in the interval $[0,1]$.

Definition 2.2. The fuzzy number A is a fuzzy set whose membership function must satisfy the following conditions.

- (i) A fuzzy set A of the universe of discourse X is convex
- (ii) A fuzzy set A of the universe of discourse X is a normal fuzzy set if $x_i \in X$ exists
- (iii) $\mu_A(x)$ is piecewise continuous

2.3 Ranking of Icosikaitetragonal fuzzy number:

Let N be a normal Icosikaitetragonal fuzzy number. The value $V(M)$, called as measure of M is calculated as

$$M(P) = \frac{1}{2} \int_1^{k_1} (J_1 + J_2) dJ + \frac{1}{2} \int_{k_1}^{k_2} (A_1 + A_2) dA + \int_{k_2}^{k_3} (S_1 + S_2) dS + \int_{k_3}^{k_4} (T_1 + T_2) dT + \int_{k_4}^{k_5} (I_1 + I_2) dI + \int_{k_5}^{k_6} (N_1 + N_2) dN + \int_{k_6}^{k_1} (R_1 + R_2) dR$$

where $0 \leq k_1 \leq k_2 \leq k_3 \leq k_4 \leq 1$



$$M(P) = \frac{1}{4} \left[\begin{aligned} &(r_1 + r_2 + r_{27} + r_{28})k_1 + (r_3 + r_4 + r_{25} + r_{26})(k_2 - k_1) + (r_5 + r_6 + r_{23} + r_{24})(k_3 - k_2) + \\ &(r_7 + r_8 + r_{21} + r_{22})(k_4 - k_3) + (r_9 + r_{10} + r_{19} + r_{20})(k_5 - k_4) + (r_{11} + r_{12} + r_{17} + r_{18})(k_6 - k_5) \\ &+ (r_{13} + r_{14} + r_{15} + r_{16})(1 - k_6) \end{aligned} \right]$$

where $0 \leq k_1 \leq k_2 \leq k_3 \leq k_4 \leq k_5 \leq k_6 \leq 1$

we take the values for $k_1 = \frac{1}{7}, k_2 = \frac{2}{7}, k_3 = \frac{3}{7}, k_4 = \frac{4}{7}, k_5 = \frac{5}{7}, k_6 = \frac{6}{7}$

III. Definition [3] A fuzzy number $A = (a_1, a_2, a_3, a_4, a_5, a_6, a_7, a_8, a_9, a_{10}, \dots, a_{24})$ is Icosikaitetragonal fuzzy number and its membership function is given by

$$\mu_A(x) = \begin{cases} 0, & \text{for } x < a_1 \\ k_1 \left(\frac{x - a_1}{a_2 - a_1} \right), & \text{for } a_1 \leq x \leq a_2 \\ k_1, & \text{for } a_2 \leq x \leq a_3 \\ k_1 + (k_2 - k_1) \left(\frac{x - a_3}{a_4 - a_3} \right), & \text{for } a_3 \leq x \leq a_4 \\ k_2, & \text{for } a_4 \leq x \leq a_5 \\ k_2 + (k_3 - k_2) \left(\frac{x - a_5}{a_6 - a_5} \right), & \text{for } a_5 \leq x \leq a_6 \\ k_3, & \text{for } a_6 \leq x \leq a_7 \\ k_3 + (k_4 - k_3) \left(\frac{x - a_7}{a_8 - a_7} \right), & \text{for } a_7 \leq x \leq a_8 \\ k_4, & \text{for } a_8 \leq x \leq a_9 \\ k_4 + (k_5 - k_4) \left(\frac{x - a_9}{a_{10} - a_9} \right), & \text{for } a_9 \leq x \leq a_{10} \\ k_5, & \text{for } a_{10} \leq x \leq a_{11} \\ k_5 + (1 - k_5) \left(\frac{x - a_{11}}{a_{12} - a_{11}} \right), & \text{for } a_{11} \leq x \leq a_{12} \\ 1, & \text{for } a_{12} \leq x \leq a_{13} \\ k_5 + (1 - k_5) \left(\frac{a_{14} - x}{a_{14} - a_{13}} \right), & \text{for } a_{13} \leq x \leq a_{14} \\ k_5, & \text{for } a_{14} \leq x \leq a_{15} \\ k_4 + (k_5 - k_4) \left(\frac{a_{16} - x}{a_{16} - a_{15}} \right), & \text{for } a_{15} \leq x \leq a_{16} \\ k_4, & \text{for } a_{16} \leq x \leq a_{17} \\ k_3 + (k_4 - k_3) \left(\frac{a_{18} - x}{a_{18} - a_{17}} \right), & \text{for } a_{17} \leq x \leq a_{18} \\ k_3, & \text{for } a_{18} \leq x \leq a_{19} \\ k_2 + (k_3 - k_2) \left(\frac{a_{20} - x}{a_{20} - a_{19}} \right), & \text{for } a_{19} \leq x \leq a_{20} \\ k_2, & \text{for } a_{20} \leq x \leq a_{21} \\ k_1 + (k_2 - k_1) \left(\frac{a_{22} - x}{a_{22} - a_{21}} \right), & \text{for } a_{21} \leq x \leq a_{22} \\ k_1, & \text{for } a_{22} \leq x \leq a_{23} \\ k_1 \left(\frac{a_{24} - x}{a_{24} - a_{23}} \right), & \text{for } a_{23} \leq x \leq a_{24} \\ 0, & \text{for } x > a_{24} \end{cases}$$



IV. PROCESSING OF 'N' JOBS THROUGH '2' MACHINES

Let 'n' jobs $A_1, A_2, \dots, A_n$ be processing through 2 machines that is M_1, M_2 respectively. Let R_{ij} be the fuzzy processing time taken by i^{th} job to be done by j^{th} machine. Using Johnson method, we can find optimal sequence, total elapsed time and idle time on machines.

Jobs	Machine I	Machine II
A_1	Low	Good
A_2	Medium	Very Good
A_3	Very Good	Medium
A_4	Good	Low

Here fuzzy times are taken as Icosikaitetragonal fuzzy number.

Jobs	Machine M I	Machine M II
A_1	R_{11}	R_{12}
A_2	R_{21}	R_{22}
A_3	R_{31}	R_{32}
A_4	R_{41}	R_{42}

V. PROCEDURE FOR SOLVING FUZZY SEQUENCING PROBLEM.

Step 1: Using Pascal graded mean, fuzzy sequencing problem is converted to a crisp valued problem.

Step 2: The optimal sequence for the crisp sequence problem is determined using crisp sequencing problem.

Step 3: After finding the optimal sequence. Determine the total elapsed fuzzy time and also the fuzzy ideal time on machines

VI. NUMERICAL EXAMPLE:

We are taking into account the fuzzy sequence problem. Let us take the processing time of 4 jobs are given in which all the elements are fuzzy quantifiers which signalize the linguistic variables that are taking the place of Icosikaitetragonal fuzzy numbers.

These qualitative datas are transformed into quantitative datas and which is shown in the below table. The processing time is between 1 to 108 and the minimum value is considered as 1 and maximum value is considered as 108 and is shown in the following table

Low	1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24
Medium	29,30,31,32,33,34,35,36,37,38,39,40,41,42,43,44,45,46,47,48,49,50,51,52
Good	57,58,59,60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77,78,79,80
Very Good	85,86,87,88,89,90,91,92,93,94,95,96,97,98,99,100,101,102,103,104,105,106,107,108

The problem is shown in the table

Jobs	Machine I	Machine II
A_1	1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24	57,58,59,60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77,78,79,80
A_2	29,30,31,32,33,34,35,36,37,38,39,40,41,42,43,44,45,46,47,48,49,50,51,52	85,86,87,88,89,90,91,92,93,94,95,96,97,98,99,100,101,102,103,104,105,106,107,108
A_3	85,86,87,88,89,90,91,92,93,94,95,96,97,98,99,100,101,102,103,104,105,106,107,108	29,30,31,32,33,34,35,36,37,38,39,40,41,42,43,44,45,46,47,48,49,50,51,52
A_4	57,58,59,60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77,78,79,80	1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24



Apply Pascal's triangular graded mean for Icosikaitetragonal fuzzy number, the fuzzy valued time connected to respective valued time

$R_{11}=12.5$	$R_{12}=68.5$
$R_{21}=40.5$	$R_{22}=96.5$
$R_{31}=96.5$	$R_{32}=40.5$
$R_{41}=68.5$	$R_{42}=12.5$

A_1	A_2	A_3	A_4
-------	-------	-------	-------

The Optimum sequence is

Total elapsed time and idle time

Jobs	Machine I		Machine II	
	Time in	Time out	Time in	Time out
A_1	0	12.5	12.5	81
A_2	12.5	53	81	177.5
A_3	53	149.5	177.5	218
A_4	149.5	218	218	230.5

Total Elapsed time = 230.5 Hrs

Idle time on Machine I = 12.5 Hrs

Idle time on Machine II = 12.5 Hrs

VII. CONCLUSION

In this paper, we have addressed the fuzzy sequencing problem through the application of Icosikaitetragonal fuzzy numbers. The fuzzy sequencing issue involving Icosikaitetragonal fuzzy numbers has been converted into a crisp sequencing problem utilizing Pascal's Graded mean formula. Through this approach, we derived the optimal sequence, total elapsed time, and idle time for each machine.

REFERENCES

- [1] L.A. Zadeh, , Fuzzy sets, Information and Control, 8(3) ,1965, 338-353.
- [2] V.Raju, "Decision making problem in Enneadecagonal fuzzy number", International journal of research publication and reviews, volume 5, issue 5,2024. Page number : 9808-9812
- [3] V.Raju " Assignment problem in Enneadecagonal fuzzy number "International journal of progressive research in engineering management and Science , volume 4, issue 3, 2024 page number:368-371
- [4] Ravichandran and V.Raju , "An approach on fuzzy decision making problem in icosikaitetragonal fuzzy number " International journal of creative research thoughts,volume 11, issue 8, 2023, page number :d553-d561
- [5] M.Thirugnana sambandan and V.Raju, "Fuzzy sequencing problem in Enneadecagonal fuzzy number" International journal of latest engineering science, volume 5 , issue 6,2022.page number: 11-16
- [6] P.Vinayagamoorthy and V.Raju "Fuzzy assignment problem in Icosikaitetragonal fuzzy number"International journal of creative research thoughts, Volume 10, issue 10,2022 Page number b18-b25
- [7] R. Dhananchezhian and V.Raju "Fuzzy transportation problem in Enneadecagonal fuzzy number" Journal of electronics information technology science and Management, Volume 12, Issue 9, 2022, page number 34-45
- [8] A.Janarthanan and V.Raju "Fuzzy game problem with Enneadecagonal fuzzy number " Journal of Xidian University, Volume 16, Issue 5, 2022, Page number: 676-686
- [9] V.Raju and S.Ramachandran "Icosagonal fuzzy number in decision making problem" International Journal of Trend in Scientific Research and Development , Volume 5,Issue 6, 2021, Page no : 1194-1199



- [10] S. Sasikumar and V.Raju " Study on Fuzzy game problem in Icosikaitetragonal Fuzzy number" Annals of Romanian Society for Cell biology , Volume 25, Issue 6, 2021, Page No : 10500-10508
- [11] V. Raju and R. Jayagopal, "A new operation on Icosikaitetragonal fuzzy number", Journal of Combinatorial Mathematics and Combinatorial Computing, volume 112(2020) , Page no : 127- 136
- [12] V.Raju and S.Maria Jesu Raja "An Approach on Fuzzy game problem in Icosikaioctagonal Fuzzy number" Journal of Xidian University, Volume 14, Issue 4, 2020, Page no: 1009-1016
- [13] V.Raju and S.Arul Amirtha Raja " Study on fuzzy sequencing problem in Icosikaioctagonal Fuzzy Numbers" Journal of Xidian University, Volume 14, Issue 4, 2020, Page no: 3829-3837
- [14] V.Raju and S.Maria Jesu Raja " Fuzzy decision making problem in Icosikaioctagonal Fuzzy number" Journal of Xidian University, Volume 14, Issue 5, 2020, Page no: 3240-3248
- [15] R. Deepa and V. Raju "[Solving Fuzzy Transportation Problem using Icosikaioctagonal Fuzzy Numbers](#)" Journal of Shanghai Jiaotong University, Volume 16, Issue 7, 2020 Page No: 162-173
- [16] S.Maria Jesu Raja and V.Raju " [Elucidating Fuzzy Assignment problem Employing Icosikaioctagonal Fuzzy Number](#) " Journal of Xi'an University of Architecture and Technology , Volume 12, Issue 6, 2020 ,Page no : 1681-1688
- [17] V.Ashok Kumar and V.Raju " [An Approach on Fuzzy Assignment problem in Icosagonal Fuzzy Number](#) " Journal of Xi'an University of Architecture and Technology, Volume 12, Issue 5, 2020 ,Page no : 3487-3493
- [18] V.Raju and M.ParuvathaVathana "Discourse on Fuzzy Game Problem in Icosagonal Fuzzy Number " International journal of scientific research and review volume 8, Issue 3, 2019, Page no: 1384-1390
- [19] V.Raju , Ranking Function on Icosagonal Fuzzy Number for Solving Fuzzy Transportation Problem, "Journal of Applied Science and Computations " Volume VI, Issue IV, 2019, Page No: 3631-3640
- [20] V.Raju and M.ParuvathaVathana "An Icosagonal Fuzzy Number for solving Fuzzy Sequence Problem" International journal of Research in Engineering, IT and Social Sciences" Volume 9, Issue 5, 2019. Page no: 37-40
- [21] V.Raju and M.ParuvathaVathana " Fuzzy Critical path method with Icosagonal Fuzzy Numbers using Ranking Method" A Journal of Composition Theory, Volume 12, Issue 9, 2019, Page no: 62-69
- [22] V. Raju and R. Jayagopal "An Approach on Icosikaioctagonal Fuzzy number-Traditional Operations on Icosikaioctagonal fuzzy number" A Journal of Composition theory, Vol.XII, Issue X, 2019, Page No: 727-734
- [23] V. Raju and R. Jayagopal "An Arithmetic Operations of Icosagonal fuzzy number Using Alpha cut "International Journal of Pure and Applied Mathematics. Volume 120, No. 8, 2018, 137-145
- [24] V. Raju and R. Jayagopal " A Rudimentary Operations on Octagonal Fuzzy Numbers " International Journal of Research in Advent Technology Vol.6, No.6, June 2018,Page No: 1320-1323
- [25] V.Raju and M.Paruvatha Vathana " Graceful labeling for some complete bi partite garaph" Journal of computer and Mathematical sciences , Volume 9, Issue 12 ,2018, Page no : 2147-2152
- [26] R.Jayagopal and V.Raju "Domination Parameters in shadow graph and Path connected graph" International Journal of mathematics and its Applications , volume 6, Issue 2B, 2018 , Page no : 167-172

