

PAPER • OPEN ACCESS

Improvement of Productivity in TIG Welding Plant by Equipment Design in Orbit

To cite this article: C Gnanavel et al 2017 IOP Conf. Ser.: Mater. Sci. Eng. 183 012020

View the <u>article online</u> for updates and enhancements.

You may also like

- A Survey on Fresh Produce Grading Algorithms Using Machine Learning And Image Processing Techniques Mrs. T K AmeethaJunaina, Dr. B Ebenezer Abishek, Dr. Vr Rajendren et al.
- Restructured review on Electrical
 Discharge Machining A state of the art
 C Gnanavel, R Saravanan, M
 Chandrasekaran et al.
- Woven Hybrid Composites Tensile and Flexural Properties of Jute Mat Fibres with Epoxy Composites P Gopal, V K Bupesh Raja, M Chandrasekaran et al.



Improvement of Productivity in TIG Welding Plant by **Equipment Design in Orbit**

C Gnanavel¹, R Saravanan², M Chandrasekaran³ and J J Jayakanth⁴

- Assistant Professor, Department of Mechanical Engineering, Vels University, Chennai, India
- ²Asso. Professor, Department of Mechanical Engineering, Vels University, Chennai,
- ³ Professor, Department of Mechanical Engineering, Vels University, Chennai, India ⁴Assistant Professor, Department of Mechanical Engineering, Vels University, Chennai, India

E-mail: gnanavelmech1986@gmail.com

Abstract. Measurements and improvements are very indispensable task at all levels of management. Here some samples are, at operator level: Measuring operating parameters to ensure OEE (Overall Equipment Effectiveness) and measuring Q components performance to ensure quality, at supervisory level: measuring operator's performance to ensure labour utility at managerial level: production and productivity measurements and at top level capital and capacity utilization. An often accepted statement is "Improvement is impossible without measurement". Measurements often referred as observation. The case study was conducted at Government Boiler factory in India. The scientific approach followed for indentifying non value added activities. Personalised new equipment designed and installed to achieve productivity improvement of 85% for a day. The new equipment can serve 3600 around its axis hence it simplified loading and unloading procedures as well as reduce their times and ensured effective space and time.

1. Introduction

The efficiency of production not only depends on sophistication of core machine but also the various supporting equipments, facilities, services and employee's efforts which are located in a plant [1]. The authors focused on plant layout and material handling to achieve up to 85.31% production efficiency and 46% in reduction of transportation lengths. They used simulation software and string diagrams as tool for the same. Shewale et al [2] made attempt to increase the productivity by plant layout optimization through systematic layout planning (SLP). The operation process chart, flow of material and activity relationship chart were employed in their study and achieved shortened material flow length from 663.63 m to 351m. Mayank et al [3] studied about overall productivity improvement in casting and fastening Industry and incorporated changes is plant layout and achieved 5 to 6 minutes per mould. ArashGhodrati and NorzimaZulkifli [4] and Dinesh et al [5] used 5s technique to improve the productivity by reorganized the work place. Mayank et al [6] concentrated on overall productivity improvement in casting industry by applying work and motion study for reducing non-productive time and applying ergonomics for various working position and ensured effective utilization of plant area after incorporated necessary changes in plant and process layouts. Mallikarjun Koripadu and Venkata

Subbiah [7] used day-in-life-DILO (day in a life of...) along with Lean Principles for improving productivity in service organization. DILO is a kind of Time and Motion study technique used for identifying the waste by separating value-add, value-enable and non-value-add activities as per the process analysis. Anand Gurumurthy and Rambabu Kodali [8], Niall Piercy and Nick Rich [9], Alberto and Marco [10] and Manoj Dora et al [11], Krishna Kumari et al [12] and Dayanand Yadav [13] and many research articles published in productivity improvement by use of lean and six sigma principles in industries. This work is unique by achieving productivity by redesigned ancillary equipment.

2. Problem definition

Welding plays a major role in boiler manufacturing. Most of the products such as boiler drum, super heater.pre heater and economizer are manufactured with the help of welding. There are several welding processes available to make the permanent joints, Orbital TIG is one of the welding process used for making permanent joints (refer Figure 1). Orbital TIG is an expensive machine in which the defect rate of the weld is only one percent. The plant belongs to govt sector which produces super heater tubes for steam boilers. As it is government sector and its products' quality and services (even after sales) its p in India there is huge demand for their boilers in and around the nation. Hence the productivity improvement is demanded before lunching expansion plan. This work is part of it. The approach started systematically with Work study, which is a basic scientific procedure to identify the possibilities of improving the production rate or in the words of lean identifying the waste. The work study conducted and the time consumed by for each and every process is recorded by 6 trails and average of them is considered for analysis. The work study helped to identify certain unnecessary operations which lead to poor production rate. Those unnecessary times were eliminated by designing alternate ancillary equipment namely Hoist. The conventional hoist is simply supported type; the implemented new one is cantilever beam type rotary hoist which can rotate 360 degree about its axis.



Figure 1.Orbital TIG welding

3. Identifying the waste

The process of identifying the waste was made by means of work-study. Orbital TIG (O-TIG) welding process is focused for this study. The objective is to record all the relevant factors in O-TIG welding process such as loading time, work preparation time, clamping time, welding time, and unloading time are recorded by conducting the stop watch time study which is one of the work measurement techniques.

4. Work measurement

The loading measurement details were tabulated in table 1. The unloading related measurements are given in table 2. Time and method of edge preparation was recorded and tabulated in table 3. Work piece setting time was recorded and noted in table 4. Self explanatory flow chart (refer figure 1)

IOP Conf. Series: Materials Science and Engineering 183 (2017) 012020 doi:10.1088/1757-899X/183/1/012020

prepared as per standard format which consolidate above measurement. The details of welding process were studied and recorded systematically and shown such measurement in table 5.

Table 1. Conventional Loading Time

Table 1. Conventional Loading Time								
Description			Time '	Taken (M	inute) *			
Description	Trial 1	Trial 2	Trial 3	Trial 4	Trial 5	Trial 6	Average	
Move from								
hanger to	4.46	4.4	4.32	4.43	4.45	3.89	4.33	
extreme end								
Waiting for	18.5	20.5	17.5	20	15.5	19	18.5	
hoist	16.3	20.3	17.3	20	13.3	19	10.3	
Transport	1.07	1.09	1.05	1.11	1.08	1.14	1.09	
empty	1.07	1.09	1.03	1.11	1.06	1.14	1.09	
Grasping	0.55	0.58	0.57	0.55	1	0.56	0.57	
Transport load	1.53	10.55	1.5	1.56	1.65	1.56	1.56	
Release load	0.26	0.27	0.28	0.3	0.26	0.28	0.28	
Allowances								
		Total loa	ding time	;			27.65	

Table 2. Conventional Unloading Time

Tuble 2. Conventional Chicagning Time								
Description	rintian Time Taken (Minute) *							
Description	Trial 1	Trial 2	Trial 3	Trial 4	Trial 5	Trial 6	Average	
Transport empty	1.07	1.09	1.05	1.11	1.08	1.14	1.09	
Grasping	0.58	0.55	0.57	0.55	0.6	0.56	0.57	
Transport load	1.25	1.31	1.12	1.21	1.1	1.2	1.2	
Release load	0.26	0.27	0.29	0.3	0.26	0.28	0.28	
Total unloading time								

Table 3. Edge Preparation Time

Table 3. Eage Treparation Time								
Description	Time Taken (Minute) *							
Description	Trial 1	Trial 2	Trial 3	Trial 4	Trial 5	Trial 6	Average	
Fixing the machine	1.8	1.1	1.4	1.2	1.7	1.3	1.4	
Operation	2.15	1.55	2.09	2.13	1.49	1.56	2.25	
Removing the machine	1.4	0.8	1.1	1	0.8	0.9	1	
Total time taken								

 Table 4.Work Piece Setting Time

Description	Time Taken (Minute) *								
Description	Trial 1	Trial 2	Trial 3	Trial 4	Trial 5	Trial 6	Average		
Work piece setting time	7.85	7.95	8	7.9	7.9	7.92	7.92		

Table 5.Time for O-TIG Welding Process

-		8							
Description	Time Taken (Minute) *								
Description	Trial 1	Trial 2	Trial 3	Trial 4	Trial 5	Trial 6	Average		
Machine setting time	6.3	6.4	7	11.7	8.5	7.2	7.8		
Arc time	11.8	12.5	15.4	12.4	12.07	13.4	12.93		
Machine removal time	4	5	4.2	6.6	4.5	5.5	5		
Allowances									
Total welding time									

5. Cantilever beam type rotary hanger

The existing hanger is simply supported beam type, which can handle only single row of pipes in the layout. For increasing productivity the new type hanger systematically designed, fabricated and tested well. This new hanger is cantilever type can rotate around 3060 and simple in construction which is illustrated in figure 2. In the existing lay out (ref. figure 3) of pipes are single row and a stand provided to place them but in the newly suggested layout (shown in figure 4), the pipes can arrange two rows (both side of the proposed type hanger) by using its advantage of rotary type (It can works for 3600). So that time taken for (loading) moving the work piece to the work centre is reduced (76.67%) from 15 minutes to 3.5 minutes as well as the time taken for (unloading) moving the work piece for Temporary storage was reduced (80.77%) from 13 minutes to 2.5 minutes.




Figure 2. Cantilever Beam Type Rotary Hanger



Figure 3. Coventional layout of pipes to be welded Pipe




Figure 4. New layouts of pipes to be welded

Table 6. New status of Loading

	Time Taken (Minute)*							
Trial 1	Trial 2	Trial 3	Trial 4	Trial 5	Trial 6	Average		
1.07	1.09	1.05	1.11	1.08	1.14	1.09		
5.55	5.89	5.78	5.56	5.78	5.65	5.7		
0.77	0.78	0.75	0.77	0.83	0.78	0.78		
0.26	0.27	0.28	0.3	0.26	0.28	0.28		
Allowances								
Total loading time								
	1.07 5.55 0.77	1.07 1.09 5.55 5.89 0.77 0.78 0.26 0.27	Trial 1 Trial 2 Trial 3 1.07 1.09 1.05 5.55 5.89 5.78 0.77 0.78 0.75 0.26 0.27 0.28 Allowances	Trial 1 Trial 2 Trial 3 Trial 4 1.07 1.09 1.05 1.11 5.55 5.89 5.78 5.56 0.77 0.78 0.75 0.77 0.26 0.27 0.28 0.3 Allowances	Trial 1 Trial 2 Trial 3 Trial 4 Trial 5 1.07 1.09 1.05 1.11 1.08 5.55 5.89 5.78 5.56 5.78 0.77 0.78 0.75 0.77 0.83 0.26 0.27 0.28 0.3 0.26 Allowances	Trial 1 Trial 2 Trial 3 Trial 4 Trial 5 Trial 6 1.07 1.09 1.05 1.11 1.08 1.14 5.55 5.89 5.78 5.56 5.78 5.65 0.77 0.78 0.75 0.77 0.83 0.78 0.26 0.27 0.28 0.3 0.26 0.28 Allowances		

IOP Conf. Series: Materials Science and Engineering 183 (2017) 012020 doi:10.1088/1757-899X/183/1/012020

Table 7. New status of	t Un	loading
-------------------------------	------	---------

	8							
Description	Time Taken (Minute)*							
Description	Trial 1	Trial 2	Trial 3	Trial 4	Trial 5	Trial 6	Average	
Transport empty	1.07	1.09	1.05	1.11	1.08	1.14	1.09	
Grasping	0.58	0.55	0.57	0.55	0.6	0.56	0.57	
Transport load	0.45	0.5	0.43	0.41	0.42	0.5	0.45	
Release load	0.29	0.27	0.28	0.31	0.26	0.28	0.28	
		Total U	nloading t	ime		•	2.51	

Hence the new equipment reduced the time for loading from 27.65 minutes to 8.24 minutes per joint 70.199% (shown in table 6) similarly in case of unloading the time the new equipment and method reduced 20.064% of unloading time per joint (shown in table 7). A boiler tube requires 4 joints. Performance of new hoist during loading is reduced to 8.24 minutes (ref. Figure 5) and also the performance of new hoist during unloading is reduced to 2.51 minutes (ref Figure 6)




Figure 5. Performance of new hoist in loading




Figure 6. Performance of new hoist in unloading

6. Productivity improvement

6.1 Conventional Status

Working hour per shift is 480 minutes (8 hour shift), Time spent for organization matter such as Enter daily work consumed 7minutes, Official discussion 15minutes, Time spent for personal needs like Tea time (twice) 20minutes, Lunch hour 30minutes, Personal allowances 24minutes (5% of shift time), Fatigue allowances 24minutes (5% of shift time), hence total time consumed for non productive work is 120minutes. (shown in Table 8)

So Net Available working time per shift (T) = 480-120 = 360 minutes

Total processing time per weld joint (tp)= 27.64+3.14+4.65+7.92+30.17 = 73.51minutes

Total no. of Boiler Tubes can be welded = (T / tp) * no. of joints per boiler tube piece

= $(360 / 73.53) * 4 = 19.59 \stackrel{\cong}{=} 19$ boiler tube piece per shift

6.2 New status

In case of new equipment the loading and unloading time was reduced significantly(shown in Figure 7). Hence the Total processing time per weld joint (tp) = 8.24+2.51+4.65+7.92+30.17 = 53.49minutes

Total no. of Boiler Tubes can be welded = (T / tp) * no. of joints per boiler tube piece

= $(360 / 53.49) * 4 = 26.92 \cong 26$ boiler tube piece per shift

Table 8. Improvement Status

S. No	Description of Productivity Criteria	Conventio nal Status	New status	Differen ce	Productivit y Improveme nt	Remarks
1	Productivity in loading & unloading Tasks (minutes)	30.79	10.75	20.04	65.09%	Loading & Unloading Time Reduced
2	Productivity per joint (minutes)	73.51	53.49	20.04	27.25%	Total time per joint reduced
3	Productivity per Boiler tube (minutes)	294.12	213.9 6	80.16	27.25%	Total time per boiler tube manufacturing reduced
4	Net Productivity per shift (Nos)	19	26	7	36.84%	No of boiler tube manufactured increased
5	Productivity per day (2 shift) (Nos)	38	52	14	85.71%	Production per day increased




Figure 7. Improvement in day production

7. Conclusion

The O-TIG welding on pipes to produce super heater tubes for the boiler is discussed in this article. Based on the lean principle the conventional method was studies with work study principles and identified the waste. For eliminating the identified waste new hanger was suggested and implemented. The new method decreased the loading time 70% and unloading time by 20% thereby increases (85.71%) of number of super heater tubes production for a day (two shift per day) from 38 to 52 tubes per day. Hence the significant productivity was achieved in O-TIG welding plant.

8. References

- [1] Vivekanand S Gogi, Rohith D, ShashiKiran K and Suhail M Shaikh, 2014 Efficiency improvement of a plant layout *International Journal of Innovative Research in Science Engineering and Technology* **3(4)** 11203-11209.
- [2] Pramod P Shewale, Manmath S Shete and Prof. DR. S. M. Sane, 2012 Improvement in plant layout using systematic layout planning (SLP) for increased productivity *International Journal of Advanced Engineering Research and Studies (IJAERS)* **1(3)** 259-261.
- [3] MayankDev Singh, RavalApurv J, Patel Dhaval G and ParthVarmora J, 2013 Overall productivity improvement in casting and fastening industry *International Journal of Mechanical and Production Engineering (IJMPE)* **1(1)** 43-48.
- [4] ArashGhodrati and Norzima Zulkifli, 2013The impact of 5s implementation on industrial organizations performance *International Journal of Business and Management Invention* **2(3)** 43-49.
- [5] Dinesh B Shinde, and Prashant N Shinde, 2014 Improvement of plant layout by using 5s technique-an industrial case study *International Journal of Modern Engineering Research* (IJMER) 4(2) 141-146.
- [6] MayankDev Singh, Swati Singh, DerasariKeyur, SoniSaumil, Patel Niki and PanchalHarshal, 2015 Overall Productivity Improvement in Casting Industry by Using Various Industrial Engineering Techniques *International Journal of Innovative Research in Science Engineering and Technology* **1(4)** 18713-18721.
- [7] Mallikarjun Koripadu K and Venkata Subbiah, 2014 Productivity Improvement by Applying DILO (Time and Motion) and Lean Principles *Int. Journal of Engineering Research and Applications* **10(4)** 12-14.
- [8] Anand Gurumurthy and RambabuKodali, 2009 Application of benchmarking for assessing the lean manufacturing implementation *Benchmarking: An International Journal* **2(16)** 274 308.
- [9] Niall Piercy and Nick Rich, 2009 Lean transformation in the pure service environment: the

IOP Conf. Series: Materials Science and Engineering 183 (2017) 012020 doi:10.1088/1757-899X/183/1/012020

- case of the call service centre International Journal of Operations & Production Management 1(29) 54 76.
- [10] Alberto Portioli-Staudacher and Marco Tantardini, 2012 Lean implementation in non-repetitive companies: a survey and analysis *Management Journal* **11** 1744-2370.
- [11] Manoj Dora , Dirk Van Goubergen ,Maneesh Kumar , AdriennMolnar and Xavier Gellynck , 2014 Application of lean practices in small and medium-sized food enterprisesBritish Food Journal1 **116** 125 141.
- [12] S. Krishna Kumari and A.N.Balaji, R.Sundar, 2014 Productivity Improvement of an Industry by Implementing Lean Manufacturing Principles *International Journal of Innovative Research in Science, Engineering and Technology* **3(3)** 1442-1446.
- [13] DayanandYadav, 2014 Study of Productivity Improvement Using Lean Six Sigma Methodology *International Review of Applied Engineering Research* **1(4)** 33-38.